




Grow It Yourself Mycelium







Make your own material!

This instruction booklet is intended as a guide and example of how you can grow your own material using the GIY. There are many ways to design and make your own material, so please feel free to stray from the directions, but make sure to use the GIY instructions as a guide for how to handle the material and achieve best growing results. If you are unsure or have questions, visit <https://www.grown.bio/faq/>

Or

Check out the GIY video:
<https://www.youtube.com/watch?v=-ZISqDeRvSc>

Have fun! Also take pictures and tag #grownbio






Prepare the material

1. Clean all tools and surfaces with ethanol
2. Follow the GIY bag instructions

Tools needed:



- Ethanol
- Foil
- Scissors
- Gloves
- Flour
- Sculpting mix (optional)





Prepare the material

1. Using gloves: Add material to sterile bowl and add flour (30g per kg).
2. Add sculpting mix if you want to shape it in a specific way (optional)
3. Breakup material with your hands and thoroughly mix in the flour. Make sure you crumble all lumps.





Fill the molds

1. Take mold you want to grow your mycelium in
2. Desinfect
3. Add substrate, push a bit in the corners





Cover


1. Once filled, cover the mold with a plastic thin foil
2. Make small holes every 3cm, this allows the mycelium to breathe





Growing phase in the mold

1. Grow between 3- 5 days at 21° - 24° C
2. When it looks all white, take it out of the mold
3. Take it out gently





Dry the product


How do you know if your product has dried enough? The best test is to measure the weight before and after. Mycelium substrate contains approximately 60% moisture, so the product should lose 50-60% of its initial weight.

A. For products with a thickness $> 2,5$ cm

- Place the product in the oven at $\pm 40^{\circ}$ C with the door a bit open so the moisture can escape for 3-4 hours.
- Bake off at 80° C for 2 hours

B. For products with a thickness $< 2,5$ cm

- Place the product in the oven at 80° C for 2-3 hours.



GROWN
bio

Ready!

Want to know more?

www.grown.bio

